WEST Search History

Hide Items	Restore	Clear	Cancel

DATE: Wednesday, April 14, 2004

Hide?	Set Name	e Query	Hit Count
	DB=PGI	PB,USPT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=	YES; OP=ADJ
	L4	L1 and perfluorinat\$3 near2 ion near1 exchang\$3	9
	L3	dimeriz\$5 and perfluorinat\$3 near2 ion near1 exchange	16
	L2	L1 and perfluorinat\$3 near2 ion near1 exchange	9
	L1	dimeriz\$5 with styrene	384

END OF SEARCH HISTORY

WEST Search History

Hide Items	Restore	Clear	Cancel

DATE: Wednesday, April 14, 2004

Hide?	Set Name	Query	Hit Count
	DB=PGPB	USPT, USOC, EPAB, JPAB, DWPI; THES=ASSIGNEE; PLUR=Y	ES; OP=ADJ
	L2	L1 and perfluorinat\$3 near2 ion near1 exchange	9
	Ll	dimeriz\$5 with styrene	384

END OF SEARCH HISTORY

WEST Search History

4	100	W. 102 302 440	
Hide Items	Restore	Clear	Cancel
i noc itomo	1,00000	Olcai	- Ouriour

DATE: Wednesday, April 14, 2004

Hide?	Set Name	Query	Hit Count
	DB=PGPB	B,USPT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YE	S; OP=ADJ
	L5	(dimerization with styrene).ti.	36
	L4	L1 and perfluorinat\$3 near2 ion near1 exchang\$3	9
	L3	dimeriz\$5 and perfluorinat\$3 near2 ion near1 exchange	16
	L2	L1 and perfluorinat\$3 near2 ion near1 exchange	9
	L1	dimeriz\$5 with styrene	384

END OF SEARCH HISTORY

Hit List

Clear	Generate Collection Gener	ate OACS	Fwd Refs	Bkwd Refs
	OCHG	aic OACC		

Search Results - Record(s) 1 through 9 of 9 returned.

☐ 1. Document ID: US 20040068146 A1

Using default format because multiple data bases are involved.

L2: Entry 1 of 9

File: PGPB

Apr 8, 2004

Sep 18, 2003

PGPUB-DOCUMENT-NUMBER: 20040068146

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040068146 A1

TITLE: Sol-gel derived porous microcomposite of perfluorinated ion-exchange polymer and metal oxide

PUBLICATION-DATE: April 8, 2004

INVENTOR-INFORMATION:

CITY COUNTRY NAME STATE RULE-47

Wilmington Harmer, Mark Andrew DE US

Wilmington Sun, Qun DE US

US-CL-CURRENT: 568/303; 502/402, 502/407

	 			Attachments	Olamin	ROOLO	DIA00 D
			***************************************	***************************************		and a section of the	*******

File: PGPB

PGPUB-DOCUMENT-NUMBER: 20030176729

PGPUB-FILING-TYPE: new

L2: Entry 2 of 9

DOCUMENT-IDENTIFIER: US 20030176729 A1

TITLE: Sol-gel derived porous microcomposite of perfluorinated ion-exchange polymer and metal oxide

PUBLICATION-DATE: September 18, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Harmer, Mark Andrew Wilmington US DE Sun, Qun Wilmington DE US

APPL-NO: 10/ 322786 [PALM] DATE FILED: December 18, 2002

RELATED-US-APPL-DATA:

Application 10/322786 is a division-of US application 09/670530, filed September 27, 2000, US Patent No. 6515190

Application 09/670530 is a division-of US application 09/324931, filed June 3, 1999, US Patent No. 6160190

Application 09/324931 is a division-of US application 09/121106, filed July 23, 1998, US Patent No. 5948946

Application 09/121106 is a division-of US application 08/574751, filed December 19, 1995, US Patent No. 5824622

Application 08/574751 is a continuation-in-part-of US application 08/362063, filed December 22, 1994, ABANDONED

Application 08/362063 is a continuation-in-part-of US application 08/180250, filed January 12, 1994, ABANDONED

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY APPL-NO

DOC-ID

APPL-DATE

WO

PCT/US95/00012 1995WO-PCT/US95/00012

January 10, 1995

INT-CL: [07] C07 C 21/08, C07 C 67/04, B01 J 31/00

US-CL-PUBLISHED: 560/241; 568/672, 568/927, 585/429, 502/159 US-CL-CURRENT: 560/241; 502/159, 568/672, 568/927, 585/429

REPRESENTATIVE-FIGURES: 1

ABSTRACT:

Porous microcomposites have been prepared from perfluorinated ion-exchange polymer and metal oxides such as silica using the sol-gel process. Such microcomposites possess high surface area and exhibit extremely high catalytic activity.

[0001] This application is a continuation-in-part of application Ser. No. 08/362,063, filed Dec. 22, 1994, which is a continuation-in-part of application Ser. No. 08/180,250, filed Jan. 12, 1994, now abandoned.

Fuli	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
			, -, -, -, -, -, -, -, -, -, -, -, -, -,									

3. Document ID: US 6680406 B2

L2: Entry 3 of 9

File: USPT

Jan 20, 2004

US-PAT-NO: 6680406

DOCUMENT-IDENTIFIER: US 6680406 B2

TITLE: Sol-gel derived porous microcomposite of perfluorinated ion-exchange polymer and metal oxide

DATE-ISSUED: January 20, 2004

.1 00004 . .

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Harmer; Mark Andrew Wilmington DE Sun; Qun Wilmington DE

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

E. I. du Pont de Nemours and Company Wilmington DE 02

APPL-NO: 10/ 322786 [PALM]
DATE FILED: December 18, 2002

PARENT-CASE:

CROSS REFERENCE TO RELATED APPLICATIONS This application is a divisional of application Ser. No. 09/670,530, filed Sep. 27, 2000, now U.S. Pat. No. 6,515,140, which is a divisional of application Ser. No. 09/324,931, filed Jun. 3, 1999, now U.S. Pat. No. 6,160,190 issued Dec. 12, 2000, which is a divisional of application Ser. No. 09/121,106 filed Jul. 23, 1998, now U.S. Pat. No. 5,948,946 issued Sep. 7, 1999, which is a divisional of application Ser. No. 08/574/751 filed Dec. 19, 1995, now U.S. Pat. No. 5,824,622 issued Oct. 20, 1998, which is a continuation-in-part of application Ser. No. 08/362,063 filed Dec. 22, 1994, now abandoned, which is a continuation-in-part of application Ser. No. 08/180,250 filed Jan. 12, 1994, now abandoned.

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY APPL-NO APPL-DATE

US PCT/US95/00012 January 10, 1995

INT-CL: [07] $\underline{C07}$ \underline{C} $\underline{67/24}$, $\underline{C07}$ \underline{C} $\underline{43/11}$, $\underline{C08}$ \underline{G} $\underline{63/06}$, $\underline{C08}$ \underline{G} $\underline{59/00}$

US-CL-ISSUED: 560/240; 528/361, 528/417, 568/617 US-CL-CURRENT: 560/240; 528/361, 528/417, 568/617

FIELD-OF-SEARCH: 560/240, 528/361, 528/417, 568/617

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
3151179	September 1964	Kennedy et al.	260/683.2
3506635	April 1970	Anderson	260/88.3
3920765	November 1975	Frech et al.	260/683.2
4038213	July 1977	McClure et al.	252/430
4041090	August 1977	McClure	260/671R
4056578	November 1977	McClure et al.	260/683.47
4065515	December 1977	McClure et al.	260/683.68
4414409	November 1983	Waller	560/233
4433082	February 1984	Grot	524/755
4661411	April 1987	Martin et al.	428/421.2
4791081	December 1988	Childress et al.	502/62
5086085	February 1992	Pekala	521/187

22 32 22

5094955	March 1992	Butt et al.	502/402
5252654	October 1993	David et al.	524/414
5472926	December 1995	Gubitosa et al.	502/337

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
0 288 295	October 1988	EP	
0324080	July 1989	EP	
0 338 309	October 1989	EP	
0367408	May 1990	EP	
0503688	September 1992	EP	
1.248.426	December 1960	FR	

OTHER PUBLICATIONS

Mauritz, K.A. et al., Polym. Mater. Sci. Eng., 58, 1079-1082, 1988.

Olah, G. A. et al., Synthesis, 513-531, 1986.

Waller, F.J., Catal. Rev.-Sci. Eng., 1-12, 1986.

Weaver, J.D. et al., Catalysis Today, 14, 195-210, 1992.

Mauritz, K.A. et al., Multiphase Polymers: Blends and Ionomers, American Chemical Society, 401-417, Chapter 16, 1989.

Waller, F.J. et al. Chemtech, 438-441 (Jul. 1987).

Waller, F.J., In Polymeric Reagents and Catalysts, Ford, W.T. (Ed.), Chap. 3, ACS Symposium Series 308, ACS, Washington, DC (1986).

Martin, C.R. et al., Anal. Chem. 54, 1639-1641 (1982).

ART-UNIT: 1621

PRIMARY-EXAMINER: Parsa; J.

ABSTRACT:

Porous microcomposites have been prepared from <u>perfluorinated ion-exchange</u> polymer and metal oxides such as silica using the sol-gel process. Such microcomposites possess high surface area and exhibit extremely high catalytic activity.

3 Claims, 1 Drawing figures

-										
			The Part of the contract of th	Action and the second second second	THE AMERICAN STREET, SHIPPING AND ASSESSED.		•	Andrew Charles Anna Charles Charles	*****************	- Action and Street Street Street Street
D	. 4 ID.	110.65	16100 D1							
Documer	nt ID:	02.02	12130 BI							
1 of 9					rdle. He	יחת		n. l.	4	2002
		Document ID:		Document ID: US 6515190 B1		•	,			

US-PAT-NO: 6515190

DOCUMENT-IDENTIFIER: US 6515190 B1

TITLE: Sol-gel derived porous microcomposite of <u>perfluorinated ion-exchange</u> polymer and metal oxide

DATE-ISSUED: February 4, 2003

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Harmer; Mark Andrew Wilmington DE DE

Sun; Qun Wilmington

ASSIGNEE - INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

E. I. du Pont de Nemours and Company Wilmington DE

APPL-NO: 09/ 670530 [PALM] DATE FILED: September 27, 2000

PARENT-CASE:

This is a division of Application No. 09/324,931 filed Jun. 3, 1999, now U.S. Pat. No. 6,160,190, which is a division of Application No. 09/121,106 filed Jul. 23, 1998, now U.S. Pat. No. 5,948,946, which is a division of Application No. 08/574,751 filed Dec. 19, 1995, now U.S. Pat. No. 5,824,622, which is a continuation-in-part of Application No. 08/362,063 filed Dec. 22, 1994, now abandoned, which is a continuation-in-part of Application No. 08/180,250 filed Jan. 12, 1994, now abandoned.

INT-CL: [07] C07 C 205/00

US-CL-ISSUED: 568/939; 568/927 US-CL-CURRENT: 568/939; 568/927

FIELD-OF-SEARCH: 568/927, 568/939

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
3151179	September 1964	Kennedy et al.	260/683.2
3506635	April 1970	Anderson	260/88.3
3920765	November 1975	Frech et al.	260/683.2
4038213	July 1977	McClure et al.	252/430
4041090	August 1977	McClure	260/671R
4056578	November 1977	McClure et al.	260/683.47
4065515	December 1977	McClure et al.	260/683.68
4234470	November 1980	Lawrence	568/939
4414409	November 1983	Waller	560/233
4433082	February 1984	Grot	524/755
4661411	April 1987	Martin et al.	428/421.2
4791081	December 1988	Childress et al.	502/62
5086085	February 1992	Pekala .	521/187
5094955	March 1992	Butt et al.	502/402
5252654	October 1993	David et al.	524/414
5472926	December 1995	Gubitosa et al.	502/337

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
0 288 295	October 1988	EP	
0324080	July 1989	EP	
0 338 309	October 1989	EP	
0367408	May 1990	EP	
0503688	September 1992	EP	
1.248.426	December 1960	FR	

OTHER PUBLICATIONS

Mauritz, K.A. et al., Polym. Mater. Sci. Eng., 58, 1079-1082, 1988.

Olah, G. A. et al., Synthesis, 513-531, 1986.

Waller, F.J., Catal. Rev.-Sci. Eng., 1-12, 1986.

Weaver, J.D. et al., Catalysis Today, 14, 195-210, 1992.

Mauritz, K.A. et al., Multiphase Polymers: Blends and Ionomers, American Chemical Society, 401-417, Chapter 16, 1989.

Waller, F.J. et al. Chemtech, 438-441 (Jul. 1987).

Waller, F.J., In Polymeric Reagents and Catalysts, Ford, W.T. (Ed.), Chap. 3, ACS Symposium Series 308, ACS, Washington, DC (1986).

Martin, C.R. et al., Anal. Chem. 54, 1639-1641 (1982).

ART-UNIT: 1621

PRIMARY-EXAMINER: Parsa; J.

ABSTRACT:

Porous microcomposites have been prepared from <u>perfluorinated ion-exchange</u> polymer and metal oxides such as silica using the sol-gel process. Such microcomposites possess high surface area and exhibit extremely high catalytic activity.

4 Claims, 1 Drawing figures

Full Title	≘ Citation I	Front Revie	w Classification	Date Rei	erence		Claims	KW	C Draw D
□ 5.	Documen	t ID: US	6160190 A						
L2: Entr	y 5 of 9			File	: USPI	•	Dec	12.	2000

US-PAT-NO: 6160190

DOCUMENT-IDENTIFIER: US 6160190 A

TITLE: Alkylation of aromatic compounds using a sol-gel derived porous microcomposite of perfluorinated ion-exchange polymer and metal oxide

DATE-ISSUED: December 12, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Harmer; Mark Andrew Wilmington DE

Record List Display Page 7 of 17

Sun; Qun

Wilmington

DE

ASSIGNEE-INFORMATION:

NAME

CITY

STATE ZIP CODE COUNTRY TYPE CODE

E. I. du Pont de Nemours and Company Wilmington DE

02

APPL-NO: 09/ 324931 [PALM]
DATE FILED: June 3, 1999

PARENT-CASE:

This is a division of application Ser. No. 09/121,106, filed Jul. 23, 1998 U.S. Pat. No. 5,948,946 which is a division of application Ser. No. 08/574,751, filed Dec. 19, 1995 now U.S. Pat. No. 5,824,622, which is a continuation-in-part of application Ser. No. 08/362,063, filed Dec. 22, 1994, abandoned, which is a continuation-in-part of application Ser. No. 08/180,250, filed Jan. 12, 1994, now abandoned.

INT-CL: [07] C07 C 2/66, C07 C 2/70, C07 C 2/68

US-CL-ISSUED: 585/458; 585/462, 585/467 US-CL-CURRENT: 585/458; 585/462, 585/467

FIELD-OF-SEARCH: 585/458, 585/462

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
3151179	September 1964	Kennedy et al.	260/683.2
3506635	April 1970	Anderson	260/88.3
3920765	November 1975	Frech et al.	260/683.2
4022847	May 1977	McClure	585/458
4038213	July 1977	McClure et al.	252/430
4041090	August 1977	McClure	260/671R
4056578	November 1977	McClure et al.	260/683.47
4060565	November 1977	McClure et al.	585/462
4065515	December 1977	McClure et al.	260/683.68
4288646	September 1981	Olah	585/458
4316997	February 1982	Vaughan	585/458
4317949	March 1982	Vaughan	585/458
4414409	November 1983	Waller	560/233
4433082	February 1984	Grot	524/755
4446329	May 1984	Waller	585/458
4547474	October 1985	Olah	585/458
4547604	October 1985	Olah	585/458
4613723	September 1986	Olah	585/458
4661411	April 1987	Martin et al.	428/421.2
4673769	June 1987	Farcasiu	585/458
4791081	December 1988	Childress et al.	502/62

4938566	July 1990	Wieserman et al.	502/407
4994429	February 1991	Wieserman et al.	502/401
5037795	August 1991	Wieserman et al.	502/407
5086085	February 1992	Pekala	521/187
5094995	March 1992	Butt et al.	502/402
5105047	April 1992	Waller	585/458
5110778	May 1992	Olah	585/458
5124299	June 1992	Waller	502/159
5252654	October 1993	David et al.	524/414
5430212	July 1995	Butt et al.	585/526
5472926	December 1995	Gubitosa et al.	502/337
5607890	March 1997	Chen et al.	502/202
5824622	October 1998	Harmer et al.	502/407
5948946	September 1999	Harmer et al.	585/669

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY . US-CL
0 288 295	October 1988	EP
0324080	July 1989	EP
0 338 309	October 1989	EP
0367408	May 1990	EP
0503688	September 1992	EP
1248426	December 1960	FR

OTHER PUBLICATIONS

Mauritz, K.A. et al., Polym. Mater. Sci. Eng., 58, 1079-1082, 1988.

Olah, G. A. et al., Synthesis, 513-531, 1986.

Waller, F.J., Catal. Rev.-Sci. Eng., 1-12, 1986.

Weaver, J.D. et al., Catalysis Today, 14, 195-210, 1992.

Mauritz, K.A. et al., Multiphase Polymers: Blends and Ionomers, American Chemical Society, 401-417, Chapter 16, 1989.

Waller, F.J. et al., Chemtech, 438-441 (Jul. 1987).

Waller, F.J., In Polymeric Reagents and Catalysts, Ford, W.T. (Ed.), Chap. 3, ACS Symposium Series 308, ACS, Washington, DC (1986).

Martin, C.R. et al., Anal. Chem. 54, 1639-1641 (1982).

ART-UNIT: 175

PRIMARY-EXAMINER: Bell; Mark L.

ASSISTANT-EXAMINER: Pasterczyk; J.

ABSTRACT:

Porous microcomposites have been prepared from <u>perfluorinated ion-exchange</u> polymer and metal oxides such as silica using the sol-gel process. Such microcomposites possess high surface area and exhibit extremely high catalytic activity. The microcomposites catalyze, among others, the reaction between organic aromatic compounds and olefins.

3 Claims, 1 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference		Claims	KWIC	Draw, De
hodd shudd d udd stagen ann ann a		en managament and the second s			on any and a second control of the second co	durino dirindos estaria	•		\$14.10 (Sec. 17.17)	n en	
	6.	Docume	nt ID:	US 60	01762 A						
L2:	Entry	6 of 9	}			F	ile: USF	т	Dec	14,	1999

US-PAT-NO: 6001762

DOCUMENT-IDENTIFIER: US 6001762 A

TITLE: Reactivation of perfluorinated ion-exchange microcomposite catalysts

DATE-ISSUED: December 14, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Harmer; Mark Andrew Wilmington DE Sun; Qun Wilmington DE

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

E. I. du Pont de Nemours and Company Wilmington DE 02

APPL-NO: 09/ 018822 [PALM]
DATE FILED: February 4, 1998

PARENT-CASE:

This application claims the priority benefit of U.S. Provisional Application 60/040,074, filed Feb. 17, 1997.

INT-CL: [06] <u>B01</u> <u>J</u> <u>37/30</u>, <u>B01</u> <u>J</u> <u>20/34</u>

US-CL-ISSUED: 502/12; 502/27, 502/29, 502/33 US-CL-CURRENT: 502/12; 502/27, 502/29, 502/33

FIELD-OF-SEARCH: 502/12, 502/27, 502/29, 502/33, 502/56, 521/26

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
2992189	July 1961	Friedman et al.	252/413
4051079	September 1977	Melby	260/2.2R
4800186	January 1989	Tasset	502/33
5824622	October 1998	Harmer et al.	502/407

FOREIGN PATENT DOCUMENTS

Record List Display

FOREIGN-PAT-NO

PUBN-DATE

COUNTRY

US-CL

WO 95/19222 WO 96/19288 July 1995

WO WO

June 1996

OTHER PUBLICATIONS

Barbara Kanegsberg, Precision cleaning without ozone depleting chemicals, Chemistry & Industry, 787-791, Oct. 21, 1996.

ART-UNIT: 282

PRIMARY-EXAMINER: Niebling; John F.

ASSISTANT-EXAMINER: Ghyka; Alexander G.

ABSTRACT:

Catalyst comprising a <u>perfluorinated ion-exchange</u> microcomposite can be reactivated upon contact with at least one cleaning agent, such as an oxidizing agent, organic solvent, supercritical fluid or detergent. The process may further comprise heating prior to, during or after contact followed by washing with water and/or an organic solvent.

7 Claims, 0 Drawing figures

Full Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw, Di
								1			
□ 7.	Docume	nt ID:	US 59	58822 A			ALDER SPORTER THE PRODUCTION TO THE STATE OF				
L2: Entr	_				F:	ile: USF	$^{\circ}\mathrm{T}$		Sep	28,	1999

US-PAT-NO: 5958822

DOCUMENT-IDENTIFIER: US 5958822 A

TITLE: Modified fluorosulfonic acids

DATE-ISSUED: September 28, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Beckerbauer; Richard Wilmington DE Harmer; Mark Andrew Wilmington DE Sun; Qun Wilmington DE

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

E. I. du Pont de Nemours and Company Wilmington DE 02

APPL-NO: 09/ 043367 [PALM]
DATE FILED: March 16, 1998

PARENT-CASE:

This application is the national filing under 35 U.S.C. 371 of International Application No. PCT/US96/14625, filed Sep. 12, 1996, which claims the priority benefit of U.S. Provisional Application 60/005,657, filed Sep. 19, 1995.

PCT-DATA:

APPL-NO	DATE-FILED	PUB-NO	PUB-DATE	371-DATE	102(E)-DATE
PCT/US96/14625	September 12, 1996	WO97/11081	Mar 27, 1997	Mar 16, 1998	Mar 16, 1998

INT-CL: [06] <u>B01</u> <u>J</u> <u>31/40</u>, <u>B01</u> <u>J</u> <u>27/53</u>, <u>C07</u> <u>F</u> <u>7/04</u>, <u>C07</u> <u>C</u> <u>315/04</u>

US-CL-ISSUED: 502/168; 502/151, 502/217, 556/428, 560/231, 568/32 US-CL-CURRENT: 502/168; 502/151, 502/217, 556/428, 560/231, 568/32

FIELD-OF-SEARCH: 502/151, 502/168, 502/217, 556/428, 568/32, 560/231

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
5093451	March 1992	Panster et al.	528/9
5130396	July 1992	Panster et al.	528/9
5239033	August 1993	Panster et al.	528/9
5380791	January 1995	Panster et al.	524/837

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
2084967	June 1993	CA	
2103653	February 1994	CA	
548 821	June 1993	EP	
4 024 720	February 1991	DE	
WO 95/19222	July 1995	WO	

OTHER PUBLICATIONS

- F.J. Waller et al., "Catalysis with Nafion.RTM.", Chem. Tech., 1987, 17, 438-441. G.A. Clark et al., "Perfluorinated resin sulfonic acid (Nation.RTM., H.sup.T) Catalysis", Synthesis, 1986, 513-531.
- J.S. Beck et al., "A New Family of Mesoporous Molecular Sieves Prepared with Liquid Crystal Templates", J. Am Chem. Soc., 1992, 14, 10834-10843.
- G. A. Bargigia et al., "Perfluoro-w-iodo-3-oxaalkanesulfonyl fluorides as Intermediates for Surfactants and Vinyl Compounds", J. Of Fluorine Chem., 19, 403-410, 1982.

Degussa publication, "Polymers and Cataysis--The DELOXAN.RTM. Product Family", pp. 1-6.

~~ ~~ ~

ART-UNIT: 161

PRIMARY-EXAMINER: Geist; Gary

ASSISTANT-EXAMINER: Davis; Brian J.

ABSTRACT:

This invention concerns modified fluorosulfonic acid compounds possessing a sulfonic acid fluoride, chloride or ester group or a sulfonic acid or a salt of a sulfonic acid group at one end and respectively a hydrolyzable or hydrolyzed silane group at the other end, said sulfonic group being adjacent a substantially fluorinated bidentate hydrocarbylene group which is in turn adjacent to a hydrocarbylenegroup linked to said hydrolyzable or hydrolyzed silane group. Self-condensation of the latter compounds provides novel siloxanes and polysiloxanes. This invention further concerns novel composites comprising a metal oxide network having incorporated therein a group having the formula: --O).sub.q Si(OH).sub.n-q R.sup.1.sub.m R.sup.2 R.sub.f SO.sub.3 Q, and compositions comprising a solid material having a reactive surface to which surface is attached at least one group having the formula: --O).sub.q Si(OH).sub.n-q R.sup.1.sub.m R.sup.2 R.sub.f SO.sub.3 Q.

35 Claims, 0 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference		Claims	KWIC	Drawi D

l _{mo,} į	8.	Docume	nt ID:	US 59	48946 A						
L2 · 1	Entry	8 of 9)			1	File: II	ਵਰਾ	Sen	. 7	1999

US-PAT-NO: 5948946

DOCUMENT-IDENTIFIER: US 5948946 A

TITLE: Use of sol-gel derived porous microposite of <u>perfluorinated ion-exchange</u> polymer and metal oxide to isomerize terminal olefins

DATE-ISSUED: September 7, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Harmer; Mark Andrew Wilmington DE

Sun; Qun Wilmington DE

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

E. I. du Pont de Nemours and Company Wilmington DE 02

~~ ~~~

APPL-NO: 09/ 121106 [PALM]
DATE FILED: July 23, 1998

PARENT-CASE:

... // .. ^^^^

This is a of division of application Ser. No. 08/574,751 filed Dec. 19, 1995, now U.S. Pat. No. 5,824,622, which is a continuation-in-part of application Ser. No. 08/362,063, filed Dec. 22, 1994, abandoned, which is a continuation-in-part of application Ser. No. 08/180,250, filed Jan. 12, 1994, now abandoned.

INT-CL: [06] $\underline{\text{CO7}}$ $\underline{\text{C}}$ $\underline{5/23}$, $\underline{\text{CO7}}$ $\underline{\text{C}}$ $\underline{5/25}$

Page 13 of 17 Record List Display

US-CL-ISSUED: 585/669; 585/664, 585/666, 585/670 US-CL-CURRENT: <u>585/669</u>; <u>585/664</u>, <u>585/666</u>, 585/670

FIELD-OF-SEARCH: 585/664, 585/666, 585/669, 585/670

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
3151179	September 1964	Kennedy et al.	260/683.2
3506635	April 1970	Anderson	260/88.3
3920765	November 1975	Frech et al.	260/683.2
4038213	July 1977	McClure et al.	252/430
4041090	August 1977	McClure	260/671R
4056578	November 1977	McClure et al.	260/683.47
4065515	December 1977	McClure et al.	260/683.68
4414409	November 1983	Waller	560/233
4433082	February 1984	Grot	524/755
4661411	April 1987	Martin et al.	428/421.2
4791081	December 1988	Childress et al.	502/62
5086085	February 1992	Pekala	521/187
5094955	March 1992	Butt et al.	502/402
5252654	October 1993 '	David et al.	524/414
5472926	December 1995	Gubitosa et al.	502/337
5824622	October 1998	Harmer et al.	502/407

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
0 288 295	October 1988	EP	
0324080	July 1989	EP	
0 338 309	November 1989	EP	
0367408	May 1990	EP	
0503688	September 1992	EP	
1248426	December 1960	FR	

OTHER PUBLICATIONS

Mauritz, K.A. et al., Polym. Mater. Sci. Eng., 58, 1079-1082, 1988.

Olah, G. A. et al., Synthesis, 513-531, 1986.

Waller, F.J., Catal. Rev.-Sci. Eng., 1-12, 1986.

Weaver, J.D. et al., Catalysis Today, 14, 195-210, 1992.
Mauritz, K.A. et al., Multiphase Polymers: Blends and Ionomers, American Chemical Society, 401-417, Chapter 16, 1989.

Waller, F.J. et al. Chemtech, 438-441 (Jul. 1987).

Waller, F.J., In Polymeric Reagents and Catalysts, Ford, W.T. (Ed.), Chap. 3, ACS Symposium Series 308, ACS, Washington, DC (1986).

Record List Display Page 14 of 17

Martin, C.R. et al., Anal. Chem. 54, 1639-1641 (1982).

ART-UNIT: 175

PRIMARY-EXAMINER: Bell; Mark L.

ASSISTANT-EXAMINER: Pasterczyk; J.

ABSTRACT:

Porous microcomposites have been prepared from <u>perfluorinated ion-exchange</u> polymer and metal oxides such as silica using a sol-gel process. Such microcomposites possess high surface area and exhibit extremely high catalytic activity. Isomerization of terminal olefins is possible with such porous microcomposites.

15 Claims, 1 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference	Seemsen and then	Claims	KWIC	Draws De
	Q	Docume	nt ID:	115 58	24622 A						

File: USPT

Oct 20, 1998

US-PAT-NO: 5824622

L2: Entry 9 of 9

DOCUMENT-IDENTIFIER: US 5824622 A

** See image for Certificate of Correction **

TITLE: Porous microcomposite of <u>perfluorinated ion-exchange</u> polymer and metal oxide, a network of silica, or a network of metal oxide and silica derived via a sol-gel process

DATE-ISSUED: October 20, 1998

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Harmer; Mark Andrew Wilmington DE Sun; Qun Wilmington DE

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

E. I. du Pont de Nemours and Company Wilmington DE 02

APPL-NO: 08/ 574751 [PALM]
DATE FILED: December 19, 1995

PARENT-CASE:

This application is a continuation-in-part of application Ser. No. 08/362,063, filed Dec. 22, 1994 now abandoned, which is a continuation-in-part of application Ser. No. 08/180,250, filed Jan. 12, 1994, now abandoned.

INT-CL: [06] $\underline{B01}$ \underline{J} $\underline{20/26}$, $\underline{B01}$ \underline{J} $\underline{20/00}$, $\underline{B01}$ \underline{J} $\underline{20/10}$, $\underline{B01}$ \underline{J} $\underline{20/12}$

US-CL-ISSUED: 502/407; 502/402, 502/415, 502/158, 502/159, 502/234, 502/237

Record List Display Page 15 of 17

US-CL-CURRENT: 502/407; 502/158, 502/159, 502/234, 502/237, 502/402, 502/415

FIELD-OF-SEARCH: 502/158, 502/159, 502/234, 502/237, 502/319, 502/338, 502/349, 502/350, 502/355, 502/402, 502/407, 502/415

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
3151179	September 1964	Kennedy et al.	260/683.2
3506635	April 1970	Anderson	260/88.3
4038213	July 1977	McClure et al.	252/430
4041090	August 1977	McClure	260/671R
4056578	November 1977	McClure et al.	260/683.47
4065515	December 1977	McClure et al.	260/683.68
4414409	November 1983	Waller	560/233
4433082	February 1984	Grot	524/755
4661411	April 1987	Martin et al.	428/421.2
4791087	December 1988	Childress et al.	502/62
4938566	July 1990	Wieserman et al.	502/407
4994429	February 1991	Wieserman et al.	502/407
5086085	February 1992	Pekala	521/187
5094995	March 1992	Butt et al.	502/402
5105047	April 1992	Waller	502/402
5124299	June 1992	Waller	502/159
5252654	October 1993	David et al.	524/414
5338430	August 1994	Parsonage et al.	204/412
5430212	July 1995	Butt et al.	585/526
5472926	December 1995	Gubitosa et al.	502/337
5607890	March 1997	Chen et al.	502/238
			· ·

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
0 288 295	October 1988	EP	
0324080	July 1989	EP	
0 338 309	October 1989	EP	
0367408	May 1990	EP	
0503688	September 1992	EP	
1.248.426	December 1960	FR	

OTHER PUBLICATIONS

H. Abruna, Coord. Chem. Rev., vol. 86, pp. 135-189, 1988.
Mauritz, K.A. et al., Polym. Mater. Sci. Eng., 58, 1079-1082, 1988.
Olah, G. A. et al., Synthesis, 513-531, 1986.
Waller, F.J., Catal. Rev.-Sci. Eng., 1-12, 1986.

Weaver, J.D. et al., Catalysis Today, 14, 195-210, 1992.

Mauritz, K.A. et al., Multiphase Polymers: Blends and Ionomers, American Chemical Society, 401-417, Chapter 16, 1989.

Waller, F.J. et al. Chemtech, 438-441 (Jul. 1987).

Waller, F.J., In Polymeric Reagents and Catalysts, Ford, W.T. (Ed.), Chap. 3, ACS Symposium Series 308, ACS, Washington, DC (1986).

Martin, C.R. et al., Anal. Chem. 54, 1639-1641 (1982).

ART-UNIT: 175

PRIMARY-EXAMINER: Bell; Mark L.

ASSISTANT-EXAMINER: Pasterczyk; J.

ABSTRACT:

Porous microcomposites comprising a <u>perfluorinated ion-exchange</u> polymer (PFIEP) containing pendant sulfonic acid and/or carboxylic acid groups entrapped within and highly dispersed throughout a network of metal oxide, a network of silica, or a network of metal oxide and silica are prepared from PFIEP and one or more precursors selected from the group consisting of a metal oxide precursor, a silica precursor, and a metal oxide and silica precursor using an in situ process. Such microcomposites have a first set of pores having a pore size diameter ranging from about 0.5 nm to about 75 nm and may further comprise a second set of pores having a diameter ranging from about 75 nm to about 1000 nm. These microcomposites possess high surface area and exhibit high catalytic activity for a variety of reactions including, but not limited to, nitrations, esterifications, dimerizations, alkylations, polymerizations, acylations, and isomerizations.

16 Claims, 1 Drawing figures

Generate Collection Print	Fwd Refs	Bkwd Refs	Generate
Term			Documents
ION			1364347
IONS			503895
EXCHANGE			724195
EXCHANGES			55227
PERFLUORINAT\$3			0
PERFLUORINAT			8
PERFLUORINATBD			1
PERFLUORINATCD			3
PERFLUORINATD			3
PERFLUORINATDD			1
PERFLUORINATE			68
(L1 AND PERFLUORINAT\$3 NE EXCHANGE).PGPB,USPT,USOC		- 11	9

There are more results than shown above. Click here to view the entire set.

Display Format: - Change Format

Previous Page

Next Page

Go to Doc#

Welcome to STN International! Enter x:x

LOGINID:ssspta1202jxp

* * * * * * * * *

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

Welcome to STN International Web Page URLs for STN Seminar Schedule - N. America NEWS 1 NEWS "Ask CAS" for self-help around the clock NEWS JAN 27 Source of Registration (SR) information in REGISTRY updated and searchable NEWS JAN 27 A new search aid, the Company Name Thesaurus, available in CA/CAplus German (DE) application and patent publication number format NEWS 5 FEB 05 changes NEWS 6 MAR 03 MEDLINE and LMEDLINE reloaded NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded NEWS 8 MAR 03 FRANCEPAT now available on STN NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN NEWS 10 MAR 29 WPIFV now available on STN NEWS 11 MAR 29 No connect hour charges in WPIFV until May 1, 2004 NEWS 12 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 3 MARCH 2004 NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS INTER General Internet Information NEWS LOGIN Welcome Banner and News Items Direct Dial and Telecommunication Network Access to STN NEWS PHONE NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 17:31:49 ON 14 APR 2004

=> file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 17:32:08 ON 14 APR 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Apr 2004 VOL 140 ISS 16 FILE LAST UPDATED: 13 Apr 2004 (20040413/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

4672 PERFLUORINAT?

1043311 ION 658873 IONS

1388268 ION

(ION OR IONS)

137 PERFLUORINAT? ION

(PERFLUORINAT? (W) ION)

L1 7 DIMER? AND PERFLUORINAT? ION

=> s dimer? and perfluorinat?

182418 DIMER?

4672 PERFLUORINAT?

L2 104 DIMER? AND PERFLUORINAT?

=> 12 and styrene

L2 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> s 12 and styrene

253068 STYRENE

4258 STYRENES

254105 STYRENE

(STYRENE OR STYRENES)

L3 2 L2 AND STYRENE

=> s 11 or 13

L4 8 L1 OR L3

=> d 14 ibib ab 1-8

L4 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1998

1998:689189 CAPLUS

DOCUMENT NUMBER:

129:318232

TITLE:

Porous microcomposite of perfluorinated

ion-exchange polymer and dispersed metal oxide
and/or silica derived via a sol-gel process

INVENTOR(S): Harmer, Mark Andrew; Sun, Qun

PATENT ASSIGNEE(S): E. I. Du Pont de Nemours & Co., USA

SOURCE:

U.S., 24 pp., Cont.-in-part of U.S. Ser. No. 362,063,

abandoned.
CODEN: USXXAM

DOCUMENT TYPE: LANGUAGE:

Patent English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PA	TENT 1	NO.		KIND DATE					APF	LIC	CATI	DATE							
															1005	1010			
US	5824	622		A		19981020 US 1995-574751						19951219							
ES	2139	187		T.	3	20000201 ES 1995-907964						19950110							
WO				A:	L	1996	0627		WO 1995-US16566							1220			
		CN,																	
															MC,		PT,	SE	
	7990									EΡ	199	95-9	4434	6	1995	1220			
EP	7990																		
	R:	DE,	FR,	GB,	IT,	NL													
CN	1170	373		Α		1998	0114			CN	199	95-1	9695	6	19951220				
CN	1082	940		В		2002	0417												
US	US 5916837 A US 5948946 A						0629			US	199	96-6	8399	8	1996	0719			
US	US 5948946 A															0723			
US	6034	34290 A								US 1999-277094 US 1999-324931									
	6160						1212			US	199	99-3	2493	1	1999	0603			
US	6515	190		В:	l	2003									2000				
US	2003	1767	29	A.	L	2003	0918			US	200	02-3	2278	6	2002	1218			
US	6680	406		B	2	2004	0120												
US	2004	0681	46	A:	L	2004	0408			US	200	03-6	8083	8	2003	1007			
PRIORIT	Y APP	LN.	INFO	. :				1	US	199	4-1	1802	50	B2	1994	0112			
								1	US	199	4-3	3620	63	B2	1994	1222			
								Ţ	OW	199	95 - t	JS12		Α	1995	0110			
								1	US	199	95-5	5747	51	Α	1995	1219			
								1	WO	199	95 − t	JS16	566	W	1995	1220			
								1	US	199	96-6	5839	98	A3	1996	0719			
								1	US	199	8-1	1211	06	A3	1998	0723			
								1	US	199	9-3	3249	31	Α3	1999	0603			
								1	US	200	0 - 6	5705	30	A3	2000	0927			
								1	US	200	2-3	3227	86	Α3	2002	1218			
							_		_		_								

AB Porous microcomposites are described which comprise a
perfluorinated ion-exchange polymer (PFIEP) containing
pendant sulfonic acid and/or carboxylic acid groups entrapped in a highly
dispersed network of metal oxide and/or silica. The microcomposites are
prepared from PFIEP (especially NAFION NR 005) and ≥1 precursors selected
from a metal oxide precursor (e.g., aluminum tri(sec-butoxide)) and/or a
silica precursor (e.g., tetramethoxysilane) using an in situ process. The
microcomposites have a first set of pores having pore size diameter 0.5-75 nm
and may further comprise a second set of pores having diameter 75-1000 nm.
These microcomposites possess high surface area and exhibit high catalytic
activity for a variety of reactions including nitration, esterification,
dimerization, alkylation, polymerization, acylation and isomerization.

REFERENCE COUNT: 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS

L4 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:

1996:527339 CAPLUS

DOCUMENT NUMBER:

125:171500

TITLE:

Sol-gel derived porous microcomposites of

perfluorinated ion-exchange polymer

and metal oxide as catalyst for organic reactions and

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

their preparation

INVENTOR(S):

Harmer, Mark Andrew; Sun, Qun

PATENT ASSIGNEE(S):

E. I. Du Pont de Nemours & Co., USA

SOURCE:

PCT Int. Appl., 59 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

KIND DATE PATENT NO. APPLICATION NO. DATE PATENT NO. KIND DATE _____ WO 9619288 A1 19960627 WO 1995-US16566 19951220 W: CN, JP RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE US 5824622 A 19981020 US 1995-574751 19951219 EP 1995-944346 19951220 EP 799091 19971008 Α1 EP 799091 B1 19980902 R: DE, FR, GB, IT, NL US 6034290 A 20000307 US 1999-277094 19990326 PRIORITY APPLN. INFO.: US 1994-362063 A 19941222 US 1995-574751 A 19951219 US 1994-180250 B2 19940112 WO 1995-US12 A 19950110 WO 1995-US16566 W 19951220 US 1996-683998 A3 19960719

Porous microcomposites, having high surface area, pendant sulfonic and/or carboxylic acid groups entrapped within and highly dispersed throughout, and pore size 0.5-1000 nm, are prepared from perfluorinated ion-exchange polymer and metal oxides such as silica using the sol-gel process. The microcomposites are useful as catalysts for olefin isomerization, hydrocarbon alkylation, nitration or sulfonation of organic compds., etc. Thus, a 5% solution of Nafion NR 005 [.apprx.6.3:1 tetrafluoroethylene-perfluoro(3,6-dioxa-4-methyl-7-octenesulfonyl fluoride) copolymer] and a solution of tetramethoxysilane were stirred together and formed a gel in .apprx.10 s. The gel was processed and acidified giving a fine particle, light-yellow glasslike material (.apprx.13:87 Nafion-silica) having a BET surface area of 123 m2/g and average pore diameter 22 nm, which (2.5 g) was used to catalyze the isomerization of 1-butene at 50°, WHSV 0.4/h, and 2:1 He-1-butene flow, giving trans-2-butene 66.3, cis-2-butene 26.8, and 1-butene 6.9%.

ANSWER 3 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1996:464450 CAPLUS

DOCUMENT NUMBER: 125:90851

TITLE: High Surface Area Nafion Resin/Silica Nanocomposites:

A New Class of Solid Acid Catalyst

Harmer, Mark A.; Farneth, William E.; Sun, Qun AUTHOR(S):

Central Research and Development, DuPont Company, CORPORATE SOURCE:

Wilmington, DE, 19880-0356, USA

Journal of the American Chemical Society (1996), SOURCE:

118(33), 7708-7715

CODEN: JACSAT; ISSN: 0002-7863

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal English LANGUAGE:

A novel nanocomposite of Nafion NR 50 (perfluorinated ion-exchange polymer) resin was prepared, in which small (20-60 nm) diameter Nafion resin particles are entrapped within a porous silica network. This material combined the excellent solid acid catalyst properties of Nafion resin with the desirable porous support characteristics of silica, with a BET surface of 150-500 mg/g. Assuming the Nafion resin particles to be dense spheres, the effective surface area of the Nafion resin alone was estd, at 153 (for 20 nm spheres) to 50 (60 nm spheres) m2/q. This material was developed using an in-situ sol-gel technique in which solns. of Nafion resin were mixed with soluble silicon sources to form a gel, which is dried to a clear hard glass-like material. These new porous nanocomposites offer the potential for significantly enhanced activity due to the increased accessibility of the Nafion resin-based acid sites. Examples of catalytic reactions were given in which the activity per unit

weight of Nafion resin were at least 100 times higher in the composite than the pure polymer alone.

L4 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1995:909497 CAPLUS

DOCUMENT NUMBER: 123:290381

TITLE: Sol-gel derived porous microcomposite of

perfluorinated ion-exchange polymers
and metal oxides as process catalysts

3 DD1 T03 MT031 310 D3 MD

INVENTOR(S): Harmer, Mark Andrew

PATENT ASSIGNEE(S): du Pont de Nemours, E. I., and Co., USA

SOURCE: PCT Int. Appl., 64 PP.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent English

LANGUAGE:

Englis

.....

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

	PAT	TENT			KII			ATE APPLICATION NO.						DATE					
	WO	9519 W:	222				1995	0720								1995	0110		
				BE.	CH.	DE.	DK,	ES.	FR.	GB	. 0	R.	IE.	IT.	LU,	MC,	NL,	PT,	SE
	EP						1996											•	
							1999												
							FR,			LI	, N	ΙL							
	JР						1997						5 - 5	1903	1	1995	0110		
							2000												
	US	6034	290		А		2000	0307			US	199	9-2	7709	4	1999	0326		
							2003												
							2004												
							2004				US	200	3-6	8083	8	2003	1007		
PRIO																1994			
										US	199	4 - 3	620	63	Α	1994	1222		
										WO	199	5-U	IS12		W	1995	0110		
										US	199	5 - 5	747	51	A2	1995	1219		
										WO	199	95 - U	IS16	566	Α	1995	1220		
										US	199	6-6	839	98	Α3	1996	0719		
										US	199	8-1	211	06	А3	1998	0723		
										US	199	9-3	249	31	Α3	1999	0603		
										US	200	0-6	705	30	A3	2000	0927		
										US	200	2-3	227	86	А3	2002	1218		
7 TO	Dos	2011.0	miar	~ a ~ m	nogi:	- 0.5	220	nran	ared	fr	om	(117	PTO:	NT)	orf1	11024	nate	4	

AB Porous microcomposites are prepared from (NAFION) perfluorinated ion-exchange polymers with pendant sulfonic and carboxylic acid groups and metal oxides (silica, alumina, titania, etc.) using the sol-gel process. Such microcomposites possess high surface area and exhibit extremely high catalytic activity, e.g., for nitration of aroms., esterification of acids, styrene dimerization, alkylation or acylation of aroms.

L4 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1994:579058 CAPLUS

DOCUMENT NUMBER: 121:179058

TITLE: Ethene dimerization using a Nafion supported

σ-arylnickel(II) species

AUTHOR(S): Seen, Andrew J.; Cavell, Kingsley J.; Mau, Albert

W.-H.; Hodges, Alastair M.

CORPORATE SOURCE: Chemistry Department, University of Tasmania, Hobart,

Tasmania, 7005, Australia

SOURCE: Journal of Molecular Catalysis (1994), 90(3), 245-56

CODEN: JMCADS; ISSN: 0304-5102

DOCUMENT TYPE: Journal LANGUAGE: English

OTHER SOURCE(S): CASREACT 121:179058

The cationic organonickel species, [Ni(o-tolyl)(py)2PPh3]+, has been immobilized within the perfluorinated ion-exchange polymer Nafion. Immobilization was achieved by replacement of the halide and a PPh3 ligand, in Ni(o-tolyl)Br(PPh3)2, with pyridine. The strong interaction between the Nafion and the cationic species was the driving force for the reaction, the Nafion thus acting in the dual role of firstly forming and then supporting the catalyst precursor. The structure of the Nafion immobilized species was confirmed by comparison of FTIR and 31P NMR spectra of the Nafion supported species with spectra for the [Ni(o-tolyl)(py)2PPh3]PF6 complex. Both the unsupported and supported species were shown to be catalytically active for ethene dimerization. The inability of the solvent to significantly swell the Nafion limited the catalytic activity of the supported species. Immobilization in Nafion did however extend the lifetime of the supported catalyst.

ANSWER 6 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:

1993:236300 CAPLUS

DOCUMENT NUMBER:

118:236300

TITLE:

Classic process chemistry. New science and new

applications

AUTHOR(S):

Nugent, William A.; McKinney, Ronald J.; Hobbs, Frank

W., Jr.; Waller, Francis J.

CORPORATE SOURCE:

Cent. Res. Dev. Dep., E. I. Du Pont de Nemours and

Co., Wilmington, DE, 19880-0328, USA

SOURCE:

Advances in Chemistry Series (1992), 230 (Homogeneous

Transition Met. Catal. React.), 479-89

CODEN: ADCSAJ; ISSN: 0065-2393

DOCUMENT TYPE:

Journal; General Review

LANGUAGE:

English

A review with 53 refs. on Ni-catalyzed hydrocyanation modified to provide an efficient route to anti-inflammatory drugs, on Cu salt-treated perfluorinated ion-exchanger polymers to provide cyclopropanation catalysts for manufacture of pyrethroid insecticides, and on catalytic dimerization of Me acrylate and tandem conjugate addition-cyclization of the dimers to provide a simple route to 2,3-disubstituted cyclopentanones.

ANSWER 7 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:

1992:511122 CAPLUS

DOCUMENT NUMBER:

117:111122

TITLE:

Simultaneous preparation and oligomerization of

hexafluoropropene by fluorination of

clorofluoropropenes

INVENTOR(S):

Paleta, Oldrich; Kvicala, Jaroslav; Dedek, Vaclav

PATENT ASSIGNEE(S):

Czech.

SOURCE:

Czech., 7 pp. CODEN: CZXXA9

DOCUMENT TYPE:

Patent

LANGUAGE:

Czech

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE ----_____ CS 1988-4015 19880609 CS 267292 B1 19900212 PRIORITY APPLN. INFO.: CS 1988-4015 19880609

OTHER SOURCE(S): CASREACT 117:111122

Hexafluoropropene and its oligomers (C3F6)n (n = 1-4), chemical intermediates for compds. useful in micro- and optoelectronics or for fluorinated surfactants and perfluorinated ion exchangers, were prepared in 1-step reaction of chlorofluoropropenes CFX:CFCF2Y (X, Y = C1, F) with NaF and/or KF and/or CsF and/or Et4NF in solvents at -30 to 190°. Mixts. of com. chlorofluoropropenes could also be used as

starting materials. Thus, 10 g CF2:CFCF2Cl was added over 10 min to a stirred mixture of 12 g KF and 20 mL DMF at 0-10° and the whole was stirred for addnl. 15 min. The volatiles (5.5 g) containing 96% CF3:CFCF3 (I) were separated by distillation at 25° to give a liquid residue (1.4 g) containing

65% I-dimer, 33% I-trimer, and 2% I-tetramer. In a similar experiment, fluorination-oligomerization of a mixture of CFCl:CFCF2Cl 10, CFCl:CFCF3 10, and CF2:CFCF2Cl 3 g for 9 h at 100° in the presence of 24 g KF and 0.5 g dibenzo-18-crown-6 in 20 mL N-methylpyrrolidinone, gave 9.8 g mixture containing I-dimer 16, I-trimer 68, and I-tetramer 16%.

L4 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER:

1979:611897 CAPLUS

DOCUMENT NUMBER:

91:211897

TITLE:

Cationic oligomerization of styrene by solid acids. II. Oligomerization of styrene

catalyzed by perfluorinated resinsulfonic

acid (nafion-H)

AUTHOR (S):

SOURCE:

Hasegawa, Hiroshi; Higashimura, Toshinobu

CORPORATE SOURCE:

Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan

Polymer Journal (Tokyo, Japan) (1979), 11(9), 737-43

CODEN: POLJB8; ISSN: 0032-3896

DOCUMENT TYPE:

Journal English

LANGUAGE: English

AB The reactivity of catalysts and mol. weight distribution products were compared in the cationic oligomerization of styrene in presence of solid Nafion H (I) [63937-00-8] or in presence of soluble CF3SO3H. Oligomers consisting of dimer to hexamer were obtained with I, whereas a linear dimer was the main product with CF3SO3H in nonpolar solvents at 50-70°. As superacid solid catalyst, I had the following characteristics: (1) retention of catalytic activity on repeated reaction and the absence of a limiting yield; (2) higher activity than that of a conventional poly(styrenesulfonic acid) resin; (3) virtual absence of solvent effects on the reaction rate and product composition; and (4) formation of Friedel-Crafts adducts between styrene and an aromatic solvent.